

Engitech Global



BALL VALVES

2-WAY AND 3-WAY



**FLANGED, NPT AND
SOCKET WELD**

*CONFIGURATIONS AVAILABLE
IN MANUAL OR ACTUATED MODE*

Engitech Global



1500 PSI BALL VALVES 2PC HIGH PERFORMANCE

CONNECTION TYPE:
THREADED END
SIZES:
1/2" - 3"
MATERIALS:
STAINLESS STEEL
BLOW OUT DESIGN



SERIES 120 BALL VALVES STEAM RATED

CONNECTION TYPE:
THREADED END
SIZES:
1/4" - 2"
MATERIALS:
STAINLESS STEEL
2000PSI 250PSI WSP



SERIES 140 BALL VALVES DIRECT MOUNT DESIGN

CONNECTION TYPE:
THREADED, SOCKET,
BUTT WELD ENDS
SIZES:
1/2" - 4"
MATERIALS:
SS, PTFE, TEFLON



SERIES 150 BALL VALVES SANITARY STYLE VALVE

CONNECTION TYPE:
T-CLAMP END
SIZES:
1/2" - 4"
MATERIALS:
SS, CAVITY FILLERS
TEFLON IS OPTIONAL



SERIES 160 BALL VALVES FIRE SAFE BALL VALVE

CONNECTION TYPE:
THREADED
DIRECT MOUNT DESIGN
SIZES:
1/2" - 2"
MATERIALS:
STAINLESS, CARBON



SERIES 170 BALL VALVES REDUCED PORT/FIRE SAFE

CONNECTION TYPE:
FLANGED
ANTI-STATIC
SIZES:
1/2" - 6"
MATERIALS:
STAINLESS, CARBON



SERIES 180 BALL VALVES CLASS 150/300

CONNECTION TYPE:
FLANGED
ANSI: 598/B16.5
SIZES:
1/2" - 12" (G.O.)
MATERIALS:
STAINLESS STEEL



SERIES 195 BALL VALVES CLASS 150/300/600

FULL PORT DESIGN
API 607 FIRE SAFE APP.
SIZES:
1/2" - 10"
MATERIALS:
STAINLESS STEEL
CARBON STEEL



SERIES 200 BALL VALVES 3-WAY BALL VALVE

CONNECTION TYPE:
NPT/ THREADED
SIZES:
1/4" - 2"
MATERIALS:
STAINLESS STEEL,



SERIES 210 BALL VALVE 3-WAY BALL VALVE

CONNECTION TYPE:
FLANGED END
SIZES:
2" - 10"
MATERIALS:
STAINLESS STEEL,



SERIES 220 BALL VALVES DIRECT MOUNT

CONNECTION TYPE:
THREADED
SIZES:
1/4" - 2"
MATERIALS:
BRASS



SERIES 231 BALL VALVES 3-WAY BRASS BALL VALVE

CONNECTION TYPE:
THREADED
SIZES:
1/4" - 3"
MATERIALS:
BRASS

Engitech Global



SERIES 240 BALL VALVES
SPRING RETURN HANDLE

CONNECTION TYPE:
FLANGED
SIZES:
1/2" - 4"
MATERIALS:
STAINLESS STEEL
CARBON STEEL



SERIES 285 BALL VALVES
MULTI-PORT DESIGN

CONNECTION TYPE:
FLANGED
SIZES:
1/2" - 12"
MATERIALS:
STAINLESS STEEL
3/4/5 WAY OPTIONS



SERIES 290 BALL VALVES
DIRECT MOUNT MULTI PORT

CONNECTION TYPE:
NPT, FLANGED, SW, BW
SIZES:
1/4" - 4"
MATERIALS:
STAINLESS STEEL,
1000PSI WOG, FULL PORT



SERIES 300 BALL VALVES
TRUNNION MOUNTED

CONNECTION TYPE:
FLANGED
SIZES:
2" - 12"
MATERIALS:
CARBON STEEL
UP TO CLASS 1500



SERIES 340 BALL VALVES
3000# SEAL WELD

CONNECTION TYPE:
SEAL WELD
SIZES:
1/4" - 3"
MATERIALS:
STAINLESS STEEL,
API 609, NACE MR-01-75



SERIES 350 BALL VALVES
6000# SEAL WELD

CONNECTION TYPE:
SEAL WELD
SIZES:
1/2" - 2"
MATERIALS:
STAINLESS STEEL
6000# CWP RATING



SERIES 360 BALL VALVES
HIGH PRESSURE - 6000PSI

CONNECTION TYPE:
THREADED, SW
SIZES:
1/4" - 2"
MATERIALS:
STAINLESS STEEL
CARBON STEEL



SERIES 370 BALL VALVES
METAL SEATED VALVE

CONNECTION TYPE:
HIGH TEMP, UP TO 1400°F
THREADED OR FLANGED
SIZES:
1/2" - 12"
MATERIALS:
STAINLESS STEEL
CARBON STEEL



SERIES 380 BALL VALVES
CRYOGENIC STYLE

CONNECTION TYPE:
THREADED
SIZES:
1/4" - 4"
MATERIALS:
STAINLESS STEEL,
CLASS 150, 300, 600, 900



SERIES 390 BALL VALVE
FLUSH BOTTOM TANK

CONNECTION TYPE:
FLANGED
SIZES:
1" - 6"
MATERIALS:
STAINLESS STEEL,
IDEAL FOR ACTIVATION



SERIES 430/5 BALL VALVES
HIGH PRESSURE, 3-WAY

CONNECTION TYPE:
THREADED
SIZES:
1/4" - 2"
MATERIALS:
STAINLESS STEEL
CARBON STEEL



SERIES 520 BALL VALVES
SANITARY MULTI-PORT

CONNECTION TYPE:
TRI-CLAMP
SIZES:
1" - 4"
MATERIALS:
STAINLESS STEEL
DIRECT MOUNT, 100 PSI